




DEEP
C E R A M I C

SUBWAY



SUN

100x300mm | 200x200mm
100x200mm | 200x75mm
150x150mm

SUBWAY FOR ALL THE WAY

URBAN STYLE

URBAN HABITAT

SMOOTHNESS OF SURFACES

NEW TRENDS

CONTEMPORARY ARCHITECTURE

Living in a metropolitan context means interpreting diversity, experiencing innovation, being in constant movement, where evolution and change are the order of the day.

Deep Ceramic since its inception in 1992 interprets the main features of urban style and contemporary architecture, taking on the concepts of freedom and irreverence that characterise them.

Deep Ceramic started with the production capacity of around 300 boxes per day, which currently has expanded to 5000 sq mtr per day. Deep Ceramic has diversified successful business in sanitaryware as well as vitrified tiles.

Subway came about as a result of this constant research. It has a modern, avant-garde style and is an innovative product with an irreverent design. Inspired both on the natural, material finish of concrete and the smoothness of surfaces in micro cement, Subway boldly assimilates the characteristic lines of floor and walls in a modern urban habitat.

It is a functional product with the multipurpose features of a coloured paste stoneware, capable of meeting all of the demands of modern architecture, both in residential and public spaces. Subway captivates through its modernity, adapting perfectly to the new trends of contemporary architecture.

FIFTEEN COLOURS

QUATRE COLOURS


RUNNING COLOURS




WHITE




GREY



TURQUOISE
BLUE



IVORY



PINK

SPECIAL COLOURS



ALPINE BLUE



OASIS GREEN



RED BROWN



BLACK

SUPER SPECIAL COLOURS



YELLOW



AQUA GREEN



AQUA BLUE



PACIFIC BLUE

EXCLUSIVE COLOURS



BLOOD RED



ORANGE

SUBWAY FEATURES



Linear Thermal
Expansion
Coefficient



Chemical
Resistance



Water
Absorption



Wall
Tiles



Stain
Resistance




Thermal Shock
Resistance

USAGE AND APPLICATIONS



SIDEWALKS AND PEDESTRIAN AREAS



GARDENS AND PUBLIC AREAS



BATHROOMS AREAS




POOL SURROUNDING AREAS




KITCHEN AREAS




SEASIDE RESORTS




TERRACES AREAS




URBAN AREAS



200x200mm



200x75mm 150x150mm




**SUBWAY
TILES**


Finish :
Glossy / Matt

WHITE


All design & shades
are available in all size




100x300mm



100x200mm



100x300mm



100x200mm



Chemical
Resistance



Water
Absorption



Wall
Tiles




Stain
Resistance



Thermal Shock
Resistance



WATER PROOF




200x200mm




Finish :
Glossy / Matt

GREY



100x300mm



100x200mm




100x300mm



100x200mm






200x200mm




200x75mm



150x150mm



100x300mm



100x200mm



100x300mm



100x200mm

**SUBWAY
TILES**

Finish :
Glossy / Matt

TURQUOISE BLUE

All design & shades
are available in all size



Chemical
Resistance



Water
Absorption



Wall
Tiles




Stain
Resistance




Thermal Shock
Resistance



WATER  PROOF



200x200mm



200x75mm




150x150mm

**SUBWAY
TILES**


Finish :
Glossy / Matt

IVORY


All design & shades
are available in all size




100x300mm



100x200mm



100x300mm




100x200mm







200x200mm




100x300mm



100x200mm



100x300mm



100x200mm

**SUBWAY
TILES**

Finish :
Glossy / Matt

PINK



Chemical
Resistance



Water
Absorption



Wall
Tiles



Stain
Resistance



Thermal Shock
Resistance



200x200mm

**SUBWAY
TILES**

Finish :
Glossy / Matt

ALPINE BLUE



100x300mm



100x200mm



100x300mm



100x200mm

SUN



WATER PROOF



200x200mm



100x300mm



100x200mm



100x300mm



100x200mm

**SUBWAY
TILES**

Finish :
Glossy / Matt

OASIS GREEN



Chemical
Resistance



Water
Absorption



Wall
Tiles



Stain
Resistance



Thermal Shock
Resistance



200x200mm

**SUBWAY
TILES**

Finish :
Glossy / Matt

RED BROWN



100x300mm



100x200mm




100x300mm



100x200mm





200x200mm



100x300mm



100x200mm



100x300mm



100x200mm

**SUBWAY
TILES**

Finish :
Glossy / Matt

BLACK



Chemical
Resistance



Water
Absorption




Wall
Tiles



Stain
Resistance



Thermal Shock
Resistance



200x200mm

**SUBWAY
TILES**

Finish :
Glossy / Matt

YELLOW



100x300mm



100x200mm




100x300mm



100x200mm





200x200mm

**SUBWAY
TILES**

Finish :
Glossy / Matt

AQUA GREEN



100x300mm



100x200mm



100x300mm



100x200mm



Chemical Resistance



Water Absorption



Wall Tiles



Stain Resistance



Thermal Shock Resistance



200x200mm

SUBWAY TILES	
-------------------------	--

Finish :
Glossy / Matt

AQUA BLUE



100x300mm



100x200mm



100x300mm



100x200mm





WATER PROOF



200x200mm



100x300mm



100x200mm



100x300mm



100x200mm

**SUBWAY
TILES**

Finish :
Glossy / Matt

PACIFIC BLUE



Chemical
Resistance



Water
Absorption



Wall
Tiles



Stain
Resistance



Thermal Shock
Resistance



200x200mm

SUBWAY TILES	
-------------------------	--

Finish :
Glossy / Matt

BLOOD RED



100x300mm



100x200mm



100x300mm



100x200mm





WATER PROOF



200x200mm

**SUBWAY
TILES**

Finish :
Glossy / Matt

ORANGE



100x300mm



100x200mm



100x300mm



100x200mm



Chemical
Resistance



Water
Absorption



Wall
Tiles



Stain
Resistance



Thermal Shock
Resistance

TECHNICAL SPECIFICATION

CHARACTERISTICS	ISO STANDARD	DEEP CERAMIC VALUE
DIMENSION & SURFACE QUALITY		
DIMENSION & SURFACE QUALITY	± 0.5%	± 0.2%
DEVIATION IN THICKNESS	± 0.6mm	± 0.2mm
STRAIGHTNESS OF SIDES	± 0.3%	± 0.2%
RECTANGULARITY	± 0.3%	± 0.3%
SURFACE FLATNESS	± 0.5%	± 0.3%
SURFACE QUALITY	Min. 95%	Min. 96%
PHYSICAL PROPERTIES		
WATER ABSORPTION	> 10%	> 14 - 17%
BEND STRENGTH	> 150kg./cm ²	> 200 - 250kg./cm ²
SCRATCH HARDNESS (MOHS)	Min. 3	Min. 3
CRAZING	1 Cycle	No Crazing At 2 Cycle
CHEMICAL PROPERTIES		
STAINING RESISTANCE	Mini. Class 2	Resistance To All Acids And Alkalies & Household Chemicals Except Hydro Fluric Acid
HOUSEHOLD CHEMICAL	Mini. Class B	
THERMAL PROPERTIES		
THERMAL SHOCK	Resistant to 10 Cycle	Conforms
THERMAL EXPANSION	Max. -9E-06	Conforms

PACKAGING DETAILS

SIZE	THICKNESS	PCS / BOX	WEIGHT	COVERAGE AREA	
150x150mm	5 mm	44 pcs.	9 kg	10.66 sq. ft	0.99 sq. mtr
	6 mm	44 pcs.	10 kg	10.66 sq. ft	0.99 sq. mtr
200x75mm	6 mm	90 pcs.	12.5 kg	14.50 sq. ft	1.35 sq. mtr
100x200mm	6 mm	50 pcs.	10 kg	10.76 sq. ft	1.00 sq. mtr
100x200mm (Bevel)	7.5 mm	50 pcs.	12.5 kg	10.76 sq. ft	1.00 sq. mtr
200x200mm	6 mm	25 pcs.	10 kg	10.76 sq. ft	1.00 sq. mtr
100x300mm (Bevel)	7.5 mm	33 pcs.	12.5 kg	10.66 sq. ft	0.99 sq. mtr



DEEP CERAMIC IND.

P. B. No. 93, Amrapar,
Thangadh - 363 530, Gujarat, INDIA

info@deepceramic.com
www.deepceramic.com

Phone Number:

+91 95747 51115 | +91 98252 18197
+91 98795 20628